

CONTROL DEVICES (MUTCD).

- THERMOPLASTIC PAVEMENT MARKING LETTERS AND SYMBOLS (WHITE LARGE SIZE, 8") THERMOPLASTIC PAVEMENT MARKING - LINE 4-IN (YELLOW SKIP
- DASH, 10' DASH, 30' SPACE)
- THERMOPLASTIC PAVEMENT MARKING LINE 6-IN (SOLID WHITE)
- THERMOPLASTIC PAVEMENT MARKING LINE 4-IN (2 SOLID YELLOW SPACED 11-IN C-C)
- THERMOPLASTIC PAVEMENT MARKING LINE 6-IN (DOTTED WHITE, 2' STRIPE, 6' GAP)

DRAWN

DATE

CHECKED

REVISED

REVISED

REVISED

THERMOPLASTIC PAVEMENT MARKING - LINE 24-IN (SOLID WHITE)

1170 SOUTH HOUBOLT ROAD

PLOT SCALE = 20.0000 '/ IN.

JOLIET, ILLINOIS 60431

STRAND (815) 744-4200

- 8 THERMOPLASTIC PAVEMENT MARKING - LINE 4-IN (YELLOW, 10' DASH, 30' SPACE, AND SOLID YELLOW: 5 1/2-IN C-C BETWEEN SOLID AND SKIP
- THERMOPLASTIC PAVEMENT MARKING LINE 16-IN (SOLID WHITE)
- 10 THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS (WHITE 6')
- (11) THERMOPLASTIC PAVEMENT MARKING - LINE 4-IN (SOLID WHITE)
- THERMOPLASTIC PAVEMENT MARKING LINE 12-IN (SOLID WHITE AT 45°, SPACING AS NOTED)
- (3) THERMOPLASTIC PAVEMENT MARKING LINE 4-IN (SOLID YELLOW)

- 1. PAVEMENT MARKINGS ACCORDING TO DISTRICT ONE TYPICAL PAVEMENT MARKINGS DETAIL UNLESS OTHERWISE NOTED.
- STOP BARS SHALL BE LOCATED FOUR FEET IN ADVANCE OF CROSSWALK UNLESS OTHERWISE NOTED.
- 3. PROPOSED CROSSWALK STRIPING SHALL BE CENTERED ON THE CURB DEPRESSIONS AT CORNERS, A MINIMUM OF SIX FEET APART, OR AS DIRECTED BY THE ENGINEER.
- 4. PAVEMENT MARKINGS AT SIDE STREETS SHALL MATCH EXISTING AT

PROPOSED PAVEMENT MARKING AND STRIPING PLAN

SCALE; AS SHOWN SHEET NO. OF SHEETS STA.


- 5. RAISED REFLECTIVE PAVEMENT MARKERS SHALL BE PLACED ACCORDING TO THE IDOT DISTRICT ONE TYPICAL APPLICATIONS REFLECTIVE PAVEMENT MARKERS (SNOW PLOW RESISTANT).
- 6. SPACING FOR DIAGONAL LINES SHALL BE IN ACCORDANCE WITH THE IDOT DISTRICT ONE TYPICAL PAVEMENT MARKINGS DETAIL.

SECTION

3759 04-00038-00-WR

WILL 165 66

CONTRACT NO. 63248



STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION